

Final Report: High Performance Correlator NASA SERC-University of New Mexico

John Canaris

July 10, 1995

Summary

The fabrication of a high performance digital autocorrelator VLSI chip was successfully completed. The UNM-NASA SERC maintains an inventory of 30 packaged and tested correlator chips, for the Naval Research Laboratory. Additional chips are available upon the placement of an order.

There are many science applications which can use this high performance autocorrelator chip, including:

- Characterization of man-made/natural RFI in the near-earth environment
- Determine improved ionospheric models for geolocation from space
- Quantify ionospheric shielding against RFI
- Study solar and planetary bursts for astrophysics
- Plan for future radio imaging arrays in space
- Radio astronomy spectrometers
- Planetary radar decoders
- Precise pulsar timing analysis

Chip Features

The high performance digital correlator has the following features:

- Autocorrelation and Crosscorrelation
- 1024 lags
- 100 Msamples/sec

19950810 030

- 3 level or 2 level input
- Double Nyquist Sampling supported
- Data Blanking
- Low Power
- Integration can continue while data is output
- 50 μ s readout time
- Integration periods under user control
- Chips are cascadeable
- Long integration times
- Radiation tolerant control circuitry provided

Accession For	
NTIS CRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification _____	
By _____	
Distribution /	
Availability Codes	
Dist	Avail and / or Special
A-1	

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE 7/10/95	3. REPORT TYPE AND DATES COVERED Final Technical 8/93 - 12/94	
4. TITLE AND SUBTITLE High Performance Correlator			5. FUNDING NUMBERS	
6. AUTHOR(S) John Canaris				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) University of New Mexico - NASA SERC Office of Research Administration Scholes Hall 102 Albuquerque NM 87131-6003			8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Naval Research Laboratory Kurt Weiler 4555 Overlook Ave SW Washington DC 20375-5326 CODE: 7215			10. SPONSORING/MONITORING AGENCY REPORT NUMBER N00014-93-K-2030 PR# 72-9144-33	
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION/AVAILABILITY STATEMENT Unlimited			12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) The fabrication of a high performance digital autocorrelator VLSI chip was successfully completed. The UNM-NASA SERC maintains an inventory of 30 packaged and tested correlator chips, for the Naval Research Laboratory. Additional chips are available upon the placement of an order.				
14. SUBJECT TERMS			15. NUMBER OF PAGES 2	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT U	18. SECURITY CLASSIFICATION OF THIS PAGE U	19. SECURITY CLASSIFICATION OF ABSTRACT U	20. LIMITATION OF ABSTRACT N/A	

DTIC QUALITY INSPECTED 8

JBK